










PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p>SQUARE KNOBS 2 CONTROLS</p> 	AQUA SQUARE SERIE				
	PS 3011-Q T /T/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	831 914 996 996	
	PS 3051-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	913 1,008 1,103 1,103	
	PS 30J1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	926 1,023 1,120 1,120	
	PS 30A1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	947 1,047 1,147 1,147	
	PS 30F1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	932 1,030 1,127 1,127	
	<p>3 CONTROLS</p> 	PS 3061-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,108 1,228 1,348 1,348
		PS 3071-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,030 1,138 1,246 1,246
		PS 3081-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,186 1,318 1,449 1,449
		AQUA ROUND SERIE			
<p>ROUND KNOBS 2 CONTROLS</p> 	PS 3011-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	810 889 969 969	
	PS 3051-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	890 981 1,073 1,073	
	PS 30J1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	905 999 1,093 1,093	

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.









PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST
 <p>3 CONTROLS</p> 	AQUA ROUND SERIE Cont'd			
	PS 30F1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 909 \$ 1,003 \$ 1,098 \$ 1,098
	PS 30A1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 926 \$ 1,052 \$ 1,149 \$ 1,149
	PS 3061-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 1,076 \$ 1,190 \$ 1,305 \$ 1,305
	PS 3071-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 995 \$ 1,098 \$ 1,201 \$ 1,201
	PS 3081-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 1,154 \$ 1,280 \$ 1,407 \$ 1,407
<p>ROUND KNOBS 2 CONTROLS</p>  	ONE ROUND SERIE			
	PS 3011-T /H/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 798 \$ 876 \$ 954 \$ 954
	PS 3051-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 880 \$ 970 \$ 1,061 \$ 1,061
	PS 30J1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 897 \$ 990 \$ 1,083 \$ 1,083
	PS 30A1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 918 \$ 1,014 \$ 1,110 \$ 1,110
	PS 30F1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 3LK - 006 / WHI - 007	\$ 901 \$ 995 \$1,088 \$1,088

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com



PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST		
<p>1/2 THERMOSTATIC VALVE & VOL CONTROL</p>   	PS J511Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / 1-3/8" SQUARE KNOB FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	PS J511T - HR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	PS J511T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	737 801 865 865		
	<p>1/2 THERMOSTATIC VALVE & 2 WAY DIVERTER</p>   	PS J551Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / 1-3/8" SQUARE KNOB FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 \$866 \$939 \$939	
		PS J551T - JR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 866 939 939	
		PS J551T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	794 866 939 939	
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com				





PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p>CROSS HANDLE 2 CONTROLS</p> 	XS SERIE				
	PS OM-3011XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	841 925 1,009 1,009	
	PS OM-3051XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	919 1,015 1,110 1,110	
	PS OM-30J1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	934 1,032 1,130 1,130	
	PS OM-30A1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	957 1,058 1,160 1,160	
	PS OM-30F1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	938 1,036 1,135 1,135	
	<p>3 CONTROLS</p> 	PS OM-3061XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE / 2 WAY DIVERTER & 1 VOL. CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	1,117 1,239 1,360 1,360
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
NEW ENGLAND SERIE					
<p>RECTANGULAR PLATE LEVER & CROSS HANDLE</p> 	PS OM-30117/8/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	789 865 942 942	
	PS OM-30517/8/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	867 955 1,043 1,043	
	<p>CROSS HANDLES</p> 	PS OM-30J17/7/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	871 960 1,048 1,048
		PS OM-30A17/7/D	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	894 986 1,078 1,078
PS OM-30F17/7/D		IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	875 964 1,053 1,053	
<p>OVALE PLATE LEVER & CROSS HANDLE</p> 	PS OM-30117/8/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	793 870 947 947	
	PS OM-30517/8/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	871 960 1,048 1,048	
	<p>CROSS HANDLES</p> 	PS OM-30J17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	877 966 1,056 1,056
		PS OM-30A17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	898 990 1,083 1,083
		PS OM-30F17/7/O	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ 3LK - 006 / WHI - 007 \$	881 971 1,061 1,061
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.