












PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p>1/2 THERMOSTATIC VALVE & VOL CONTROL</p>   	PS J511Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / 1-3/8" SQUARE KNOB FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ 831 POL NI - 002 \$ 905 BRH NI - 003 \$ 1,028 BLK - 006 / WHI - 007 \$ 1,003		
	PS J511T - HR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ 831 POL NI - 002 \$ 905 BRH NI - 003 \$ 1,028 BLK - 006 / WHI - 007 \$ 1,003		
	PS J511T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 1 VOL CONTROL / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 34 l/Min - 8.9 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ 831 POL NI - 002 \$ 905 BRH NI - 003 \$ 1,028 BLK - 006 / WHI - 007 \$ 1,003		
	<p>1/2 THERMOSTATIC VALVE & 2 WAY DIVERTER</p>   	PS J551Q - QR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / 1-3/8" SQUARE KNOB FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ 898 POL NI - 002 \$ 982 BRH NI - 003 \$ 1,121 BLK - 006 / WHI - 007 \$ 1,094	
		PS J551T - JR	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS RECTANGULAR TRIM PLATE: 6-1/2 x 4-3/4" - 16.5 x 12 CM	POL CR - 001 \$ 898 POL NI - 002 \$ 982 BRH NI - 003 \$ 1,121 BLK - 006 / WHI - 007 \$ 1,094	
		PS J551T - JJC	IN WALL THERMOSTATIC 1/2" VALVE WITH SHUT-OFF & FILTERS 1/2" FEMALE NPT INLET WITH 2 WAY DIVERTER / ROUND KNOB 1-3/8" DIAM. FLOW RATE: 25.5 l/Min - 6.7 GPM AT 60 PSI 3/16 SOLID BRASS ROUND TRIM PLATE: 6" DIAM. - 15 CM	POL CR - 001 \$ 898 POL NI - 002 \$ 982 BRH NI - 003 \$ 1,121 BLK - 006 / WHI - 007 \$ 1,094	
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
 PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
 CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.







PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p>SQUARE KNOBS 2 CONTROLS</p> 	AQUA SQUARE SERIE				
	PS 3011-Q T /T/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	973 1,068 1,227 1,195	
	PS 3051-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,069 1,178 1,361 1,325	
	PS 30J1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,081 1,193 1,379 1,341	
	PS 30A1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,106 1,222 1,414 1,375	
	PS 30F1-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,090 1,202 1,390 1,353	
	<p>3 CONTROLS</p> 	PS 3061-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,288 1,426 1,656 1,610
		PS 3071-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,201 1,325 1,533 1,492
		PS 3081-Q T /Q/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,380 1,532 1,784 1,734
		AQUA ROUND SERIE			
<p>ROUND KNOBS 2 CONTROLS</p> 	PS 3011-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	948 1,039 1,191 1,161	
	PS 3051-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,040 1,145 1,320 1,285	
	PS 30J1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,061 1,169 1,349 1,313	

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.





PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST
 <p>3 CONTROLS</p> 	AQUA ROUND SERIE Cont'd			
	PS 30F1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,065 1,174 1,355 1,319
	PS 30A1-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,081 1,193 1,379 1,341
	PS 3061-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER & 1 VOLUME CONTROL FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,255 1,388 1,609 1,565
	PS 3071-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 VOLUME CONTROLS TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,159 1,277 1,475 1,435
	PS 3081-T J /J/R-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER TOP & BOTTOM FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORTS: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,343 1,489 1,732 1,683
<p>ROUND KNOBS 2 CONTROLS</p>  	ONE ROUND SERIE			
	PS 3011-T /H/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 1 VOLUME CONTROL FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	935 1,025 1,174 1,144
	PS 3051-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,031 1,135 1,308 1,274
	PS 30J1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 2 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,052 1,159 1,337 1,302
	PS 30A1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER + SHARED PORT FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,073 1,183 1,367 1,330
	PS 30F1-T /R/C-	IN WALL THERMOSTATIC 3/4" VALVE WITH SHUT-OFF & FILTERS 3/4" FEMALE NPT INLET WITH 3 WAY DIVERTER FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 \$ POL NI - 002 \$ BRH NI - 003 \$ BLK - 006 / WHI - 007 \$	1,056 \$1,164 \$1,343 1,307

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.







PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST	
<p>CROSS HANDLE 2 CONTROLS</p> 	XS SERIE				
	PS OM-3011XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 985 \$ 1,082 \$ 1,244 \$ 1,212	
	PS OM-3051XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 1,073 \$ 1,183 \$ 1,367 \$ 1,330	
	PS OM-30J1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 1,090 \$ 1,202 \$ 1,390 \$ 1,352	
	PS OM-30A1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 1,119 \$ 1,236 \$ 1,431 \$ 1,392	
	PS OM-30F1XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 8-1/2" - 15x21.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 1,098 \$ 1,212 \$ 1,402 \$ 1,364	
	<p>3 CONTROLS</p> 	PS OM-3061XT/X/R	IN WALL THERMOSTATIC 3/4" VALVE / 2 WAY DIVERTER & 1 VOL. CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE UPPER PORTS: 51.3 l/Min - 13.5 GPM AT 60 PSI FLOW RATE LOWER PORT: 47.1 l/Min - 12.4 GPM AT 60 PSI 3/16 SOLID BRASS TRIM PLATE DIMENSIONS: 5-7/8"x 11-5/8" - 15x29.5 CM	POL CR - 001 POL NI - 002 BRH NI - 003 BLK - 006 / WHI - 007	\$ 1,301 \$ 1,441 \$ 1,673 \$ 1,627
		TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com			

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.



Rain Therapy

3/4 VALVES & CONTROLS

PRODUCT PICTURE	REF#	PRODUCT DESCRIPTION	FINISH	LIST
NEW ENGLAND SERIE				
<p>RECTANGULAR PLATE LEVER & CROSS HANDLE</p> 	PS OM-30117/8/D	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM</p>	<p>POL CR - 001 \$ 927 POL NI - 002 \$ 1,015 BRH NI - 003 \$ 1,162 BLK - 006 / WHI - 007 \$ 1,133</p>	
	PS OM-30517/8/D	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM</p>	<p>POL CR - 001 \$ 1,014 POL NI - 002 \$ 1,116 BRH NI - 003 \$ 1,285 BLK - 006 / WHI - 007 \$ 1,251</p>	
	<p>CROSS HANDLES</p> 	PS OM-30J17/7/D	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM</p>	<p>POL CR - 001 \$ 1,019 POL NI - 002 \$ 1,121 BRH NI - 003 \$ 1,291 BLK - 006 / WHI - 007 \$ 1,257</p>
		PS OM-30A17/7/D	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM</p>	<p>POL CR - 001 \$ 1,048 POL NI - 002 \$ 1,154 BRH NI - 003 \$ 1,332 BLK - 006 / WHI - 007 \$ 1,296</p>
		PS OM-30F17/7/D	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/4"x 7-7/8" - 16x20 CM</p>	<p>POL CR - 001 \$ 1,023 POL NI - 002 \$ 1,125 BRH NI - 003 \$ 1,296 BLK - 006 / WHI - 007 \$ 1,262</p>
<p>OVALE PLATE LEVER & CROSS HANDLE</p> 	PS OM-30117/8/O	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 1 VOLUME CONTROL 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 47.1 l/Min - 12.4 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM</p>	<p>POL CR - 001 \$ 900 POL NI - 002 \$ 984 BRH NI - 003 \$ 1,124 BLK - 006 / WHI - 007 \$ 1,096</p>	
	PS OM-30517/8/O	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM</p>	<p>POL CR - 001 \$ 985 POL NI - 002 \$ 1,082 BRH NI - 003 \$ 1,244 BLK - 006 / WHI - 007 \$ 1,212</p>	
	<p>CROSS HANDLES</p> 	PS OM-30J17/7/O	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 2 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM</p>	<p>POL CR - 001 \$ 991 POL NI - 002 \$ 1,089 BRH NI - 003 \$ 1,253 BLK - 006 / WHI - 007 \$ 1,220</p>
		PS OM-30A17/7/O	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER + SHARE PORT 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM</p>	<p>POL CR - 001 \$ 1,014 POL NI - 002 \$ 1,116 BRH NI - 003 \$ 1,285 BLK - 006 / WHI - 007 \$ 1,251</p>
		PS OM-30F17/7/O	<p>IN WALL THERMOSTATIC 3/4" VALVE WITH 3 WAY DIVERTER 3/4" FEMALE NPT INLET WITH SHUT-OFF & FILTERS FLOW RATE: 51.3 l/Min - 13.5 GPM AT 60 PSI STAMPED BRASS TRIM PLATE DIMENSIONS: 6-1/2"x 9-1/4" - 16.5x23.5CM</p>	<p>POL CR - 001 \$ 996 POL NI - 002 \$ 1,094 BRH NI - 003 \$ 1,259 BLK - 006 / WHI - 007 \$ 1,226</p>

TECHNICAL SHEET AVAILABLE FOR DOWNLOAD AT www.pscbath.com

PRICES ARE F.O.B. MIAMI, FL. PACKING & SHIPPING ADDITIONAL.
PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.
CUSTOM FINISHES UPON REQUEST, PLEASE CALL FOR PRICING.